

**The Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (Currently Amended): A cartridge containing one or more beverage ingredients and being formed from substantially air- and water-impermeable materials, said cartridge comprising an inlet for the introduction of an aqueous medium into the cartridge, and an outlet for a beverage produced from said one or more beverage ingredients, wherein said cartridge comprises an outer member, an inner member inserted in the outer member and means for producing a jet of the beverage, wherein said means for producing the jet of the beverage comprises an aperture in a beverage flow path linking the inlet to the outlet, characterised in that the aperture is bordered delimited by an interface between the inner member and the outer member.

Claim 2 (Original): A cartridge as claimed in claim 1 wherein one of the inner member or outer member comprises an opening and the other of the inner member or outer member comprises an obstruction, wherein on insertion of the inner member in the outer member, the obstruction partially obstructs the opening to so delimit the aperture.

Claim 3 (Original): A cartridge as claimed in claim 2 wherein the opening comprises an elongated slot.

Claim 4 (Previously Presented): A cartridge containing one or more beverage ingredients and being formed from substantially air- and water-impermeable materials, said cartridge comprising an inlet for the introduction of an aqueous medium into the cartridge, and an outlet for a beverage produced from said one or more beverage

ingredients, wherein said cartridge comprises an outer member, an inner member inserted in the outer member and means for producing a jet of the beverage, wherein said means for producing the jet of the beverage comprises an aperture in a beverage flow path linking the inlet to the outlet, the aperture is delimited by an interface between the inner member and the outer member and the inner member has an elongated slot opening and the outer member has an obstruction, wherein on insertion of the inner member in the outer member, the obstruction partially obstructs the opening to do so delimit the aperture.

Claim 5 (Canceled).

Claim 6 (Previously Presented): A cartridge as claimed in claim 4 wherein the obstruction comprises an extension of the outer member at least a part of which projects into the inner member.

Claim 7 (Original): A cartridge as claimed in claim 6 wherein the elongated slot is formed in a cylindrical wall of the inner member.

Claim 8 (Original): A cartridge as claimed in claim 7 wherein the elongated slot extends to the upper edge of the cylindrical wall.

Claim 9 (Original): A cartridge as claimed in claim 7 wherein the extension of the outer member is a cylindrical extension which is received as a sliding fit within the cylindrical wall of the inner member.

Claim 10 (Original): A cartridge as claimed in claim 9 wherein the aperture has a cross-sectional area of 0.4 to 0.7 mm<sup>2</sup>.

Claim 11 (Original): A cartridge as claimed in claim 10 further comprising at least one inlet for air and means for generating a pressure reduction of the jet of beverage,

whereby, in use, air from the at least one air inlet is incorporated into the beverage as a plurality of small bubbles.

Claim 12 (Original): A cartridge as claimed in claim 11 wherein the at least one air inlet is provided in the inner member downstream of the aperture.

Claim 13 (Original): A cartridge as claimed in claim 12 wherein the inner member comprises a discharge spout defining the outlet.

Claim 14 (Original): A cartridge as claimed in claim 13 wherein the jet of beverage issuing from the aperture is directed into the discharge spout.

Claim 15 (Original): A cartridge as claimed in claim 14 wherein the jet of beverage impinges a surface of the discharge spout between issuing from the aperture and exiting the outlet.

Claim 16 (Original): A cartridge as claimed in claim 15 wherein the surface is a concave wall of the discharge spout.

Claim 17 (Original): A cartridge as claimed in claim 16 wherein the concave wall is positioned on an opposite side of the discharge spout from the aperture.

Claim 18 (Original): A cartridge as claimed in claim 17 wherein the aperture directs the beverage to flow at an angle substantially perpendicular to a flow of beverage out of the outlet.

Claim 19 (Original): A cartridge as claimed in claim 18 wherein the discharge spout is integral with the inner member.

Claim 20 (Original): A cartridge as claimed in claim 19 wherein the cartridge is disc-shaped.

Claim 21 (Original): A cartridge as claimed in claim 20 wherein the outer member and/or inner member are formed from polypropylene.

Claim 22 (Original): A cartridge as claimed in claim 21 wherein the outer member and/or inner member are formed from a biodegradable polymer.

Claim 23 (Original): A cartridge as claimed in claim 22 wherein the outer member and/or inner member is formed by injection moulding.

Claim 24 (Previously Presented): A cartridge as claimed in claim 1 wherein a filter is fixed in the beverage flow path and is supported by the inner member and the inner member is attached to the outer member.

Claim 25 (Currently Amended): A cartridge as claimed in claim 24 wherein the beverage ingredients are sealed in the outer member by a lid ~~non-removable~~ non-removably attached to the outer member.

Claim 26 (Currently Amended): A cartridge as claimed in claim 1 containing one or more beverage ingredients and being formed from substantially air- and water-impermeable materials, said cartridge comprising an inlet for the introduction of an aqueous medium into the cartridge, and an outlet for a beverage produced from said one or more beverage ingredients, wherein said cartridge comprises an outer member, an inner member inserted in the outer member and means for producing a jet of the beverage, wherein said means for producing the jet of the beverage comprises an aperture in a beverage flow path linking the inlet to the outlet, characterised in that the aperture is delimited by an interface between the inner member and the outer member;

wherein the outer member has a closed side and an open side, the aperture is partially delimited by the closed side of the outer member, and a pierceable lid closes the open side of the outer member.

Claim 27 (Previously Presented): A cartridge as claimed in claim 26 wherein a filter is supported by the inner member and the beverage ingredients are contained between the lid and the filter.

Claim 28 (Previously Presented): A cartridge containing one or more beverage ingredients and being formed from substantially air- and water-impermeable materials, said cartridge comprising an inlet for the introduction of an aqueous medium into the cartridge, and an outlet for a beverage produced from said one or more beverage ingredients, wherein said cartridge comprises an outer member, an inner member inserted in the outer member and supporting a filter, and an aperture in a beverage flow linking the inlet to the outlet for producing a jet of the beverage, the filter being fixed in the beverage flow path and the aperture being delimited by an interface between the inner member and the outer member.

Claim 29 (New): A cartridge as claimed in claim 1 wherein the aperture is downstream of downstream of a filter in the beverage flow path.